

Interference search  
Q updated search 09/885,736

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	authenticat\$3.clm. and database.clm. and identifier.clm. and certificat\$3.clm. and watermark\$3.clm. and image.clm. and embed\$4.clm. and read.clm. and extract\$3.clm. and judg\$4.clm. and identical.clm. and compar\$4.clm.	USPAT	OR	OFF	2006/02/28 15:05
L2	66	authenticat\$3 and database and identifier and certificat\$3 and watermark\$3 and image and embed\$4 and read and extract\$3 and judg\$4 and identical and compar\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:06
L3	2292	713/176	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:06
L4	5813	713/175 or 713/156 or 713/186 or 713/157 or 713/158 or 705/75 or 283/13 or 382/276 or 382/308 or 382/115 or 902/3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:10
L5	7590	4 or 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:10
L6	7	5 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 15:10

*NPL search*
[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

authenticat\$3 and database and identifier and certificat\$3 and


[Feedback](#)

## Terms used

authenticat\$3 and database and identifier and certificat\$3 and watermark\$3 and image and embed\$4 and rea

 Sort results by 

 Display results 
☒ [Save results to a Binder](#)
☒ [Search Tips](#)
☐ [Open results in a new window](#)

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

### 1 [System R: relational approach to database management](#)

M. M. Astrahan, M. W. Blasgen, D. D. Chamberlin, K. P. Eswaran, J. N. Gray, P. P. Griffiths, W. F. I Putzolu, I. L. Traiger, B. W. Wade, V. Watson

June 1976

**ACM Transactions on Database Systems (TODS)**, Volume 1 Issue 2

**Publisher:** ACM Press

 Full text available: [pdf\(3.18 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [reference](#)

System R is a database management system which provides a high level relational data interface independence by isolating the end user as much as possible from underlying storage structures views on common underlying data. Data control features are provided, including authorization, recovery subsystem, and facilities for maintaining ...

**Keywords:** authorization, data structures, database, index structures, locking, nonprocedural I

### 2 [Object-based and image-based object representations](#)

Hanan Samet

June 2004

**ACM Computing Surveys (CSUR)**, Volume 36 Issue 2

**Publisher:** ACM Press

 Full text available: [pdf\(1.05 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [reference](#)

An overview is presented of object-based and image-based representations of objects by their manner in which they can be used to answer two fundamental queries in database applications: constituent cells (i.e., their locations in space). (2) Location query: given a cell (i.e., a location objects) of which it is a member as well as the re ...

**Keywords:** Access methods, R-trees, feature query, geographic information systems (GIS), im pyramids, quadrees, space-filling curves, spatial databases

### 3 [GPGPU: general purpose computation on graphics hardware](#)

David Luebke, Mark Harris, Jens Krüger, Tim Purcell, Naga Govindaraju, Ian Buck, Cliff Woolley, A August 2004

**Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH 'I**
**Publisher:** ACM Press

 Full text available: [pdf\(63.03 MB\)](#)

 Additional Information: [full citation](#), [abstract](#)

The graphics processor (GPU) on today's commodity video cards has evolved into an extremely architectures provide tremendous memory bandwidth and computational horsepower, with fully

support vector operations up to full IEEE floating point precision. High level languages have em  
power accessible. Architecturally, GPUs are highly parallel s ...

#### 4 Distributed file systems: concepts and examples



Eliezer Levy, Abraham Silberschatz

December 1990 **ACM Computing Surveys (CSUR)**, Volume 22 Issue 4

**Publisher:** ACM Press

Full text available: pdf(5.33 MB)

Additional Information: [full citation](#), [abstract](#), [reference](#)

The purpose of a distributed file system (DFS) is to allow users of physically distributed comput  
common file system. A typical configuration for a DFS is a collection of workstations and mainfr  
implemented as part of the operating system of each of the connected computers. This paper e  
structure and decentralization of both data and con ...

#### 5 Model and verification of a data manager based on ARIES



Dean Kuo

December 1996 **ACM Transactions on Database Systems (TODS)**, Volume 21 Issue 4

**Publisher:** ACM Press

Full text available: pdf(813.93 KB)

Additional Information: [full citation](#), [abstract](#), [reference](#)

In this article, we model and verify a data manager whose algorithm is based on ARIES. The w  
and the definition of correctness is defined on the interface between the scheduler and the data

**Keywords:** ARIES, I/O automata, system failures

#### 6 Object oriented relational database with SQL interface



Behrooz Seyed-Abbassi

March 1993 **Proceedings of the 1993 ACM conference on Computer science**

**Publisher:** ACM Press

Full text available: pdf(1.43 MB)

Additional Information: [full citation](#), [abstract](#), [reference](#)

An object oriented relational database management system to support heterogeneous object cl  
sound information is considered. By employing a user friendly interface and Structured Query L  
with a three level architecture utilizes an extended SQL to operate on complex objects and to s  
join and overlay. These operations also suppo ...

#### 7 Special issue on spatial database systems: Management of multidimensional discrete data

Peter Baumann

October 1994 **The VLDB Journal — The International Journal on Very Large Data Bases**,

**Publisher:** Springer-Verlag New York, Inc.

Full text available: pdf(2.30 MB)

Additional Information: [full citation](#), [abstract](#), [reference](#)

Spatial database management involves two main categories of data: vector and raster data. Th  
latter still lacks a sound framework. Current DBMSs either regard raster data as pure byte sequ  
underlying semantics, or they do not complement array structures with storage mechanisms su  
specialized systems with sophisticated imaging functionality, but n ...

**Keywords:** Multimedia database systems, image database systems, spatial index, tiling

#### 8 National id card: the next generation: The US/Mexico border crossing card (BCC): a case :



Andrew Schulman

April 2002 **Proceedings of the 12th annual conference on Computers, freedom and pri**

**Publisher:** ACM Press

Full text available:  [html\(187.31 KB\)](#)

Additional Information: [full citation](#), [index terms](#)

## 9 Crowd and group animation

 Daniel Thalmann, Christophe Hery, Seth Lippman, Hiromi Ono, Stephen Regelous, Douglas Sutton  
August 2004 **Proceedings of the conference on SIGGRAPH 2004 course notes GRAPH '04**

**Publisher:** ACM Press

Full text available:  [pdf\(20.19 MB\)](#)

Additional Information: [full citation](#), [abstract](#)

A continuous challenge for special effects in movies is the production of realistic virtual crowds, present state-of-the-art techniques and methods. The course will explain in details the different with flocking techniques using attraction and repulsion forces, copy and pasting techniques, age will be presented including the MASSIVE softwa ...

## 10 Object management in distributed information systems

 Peter Lyngbaek, Dennis McLeod  
May 1984 **ACM Transactions on Information Systems (TOIS)**, Volume 2 Issue 2


**Publisher:** ACM Press

Full text available:  [pdf\(1.81 MB\)](#) Additional Information: [full citation](#), [references](#), [citing](#), [index terms](#)

## 11 A database cache for high performance and fast restart in database systems

 Klaus Elhardt, Rudolf Bayer  
December 1984 **ACM Transactions on Database Systems (TODS)**, Volume 9 Issue 4


**Publisher:** ACM Press

Full text available:  [pdf\(1.72 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [reference](#)

Performance in database systems is strongly influenced by buffer management and transaction the database cache, which replaces the traditional buffer. In comparison to buffer management transaction management, and integrates transaction recovery. High throughput of small- and n processing and low database traffic. Very fas ...

## 12 Client-server computing in mobile environments

 Jin Jing, Abdelsalam Sumi Helal, Ahmed Elmagarmid  
June 1999 **ACM Computing Surveys (CSUR)**, Volume 31 Issue 2

**Publisher:** ACM Press

Full text available:  [pdf\(233.31 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [reference](#)


Recent advances in wireless data networking and portable information appliances have engende computing, in which users carrying portable devices have access to data and information servic behavior. In the meantime, research addressing information access in mobile environments has framework and categorization of the various way ...

**Keywords:** application adaptation, cache invalidation, caching, client/server, data dissemination client/server, mobile compuing, mobile data, mobility awareness, survey, system application

## 13 Final report of the ANSI/X3/SPARC DBS-SG relational database task group

 July 1982 **ACM SIGMOD Record**, Volume 12 Issue 4

**Publisher:** ACM Press

Full text available:  [pdf\(4.69 MB\)](#) Additional Information: [full citation](#)

14 Query evaluation techniques for large databases

Goetz Graefe

June 1993

**ACM Computing Surveys (CSUR)**, Volume 25 Issue 2**Publisher:** ACM Press

Full text available: pdf(9.37 MB)

Additional Information: [full citation](#), [abstract](#), [reference](#)

Database management systems will continue to manage large data volumes. Thus, efficient algorithms will be required to provide acceptable performance. The advent of object-oriented databases is a problem. On the contrary, modern data models exacerbate the problem: In order to manipulate database systems manipulate simple records, query-processing ...

**Keywords:** complex query evaluation plans, dynamic query evaluation plans, extensible databases, systems, operator model of parallelization, parallel algorithms, relational database systems, set

15 Evaluation of an algorithm for finding a match of a distorted texture pattern in a large image

N. Vujovic, D. Brzakovic

January 1998

**ACM Transactions on Information Systems (TOIS)**, Volume 16 Issue 1**Publisher:** ACM Press

Full text available: pdf(499.06 KB)

Additional Information: [full citation](#), [abstract](#), [reference](#)

Evaluation of an algorithm for finding a match for a random texture pattern in a large image database assuming that the random pattern may be subject to misregistration relative to its representative missing parts. The potential applications involve authentication of legal documents, bank notes, randomly into the document medium during medium fabrication. The ...

**Keywords:** image database, image matching, misregistration, presentation of information, ran

16 ARIES: a transaction recovery method supporting fine-granularity locking and partial rollback

C. Mohan, Don Haderle, Bruce Lindsay, Hamid Pirahesh, Peter Schwarz

March 1992

**ACM Transactions on Database Systems (TODS)**, Volume 17 Issue 1**Publisher:** ACM Press

Full text available: pdf(5.23 MB)

Additional Information: [full citation](#), [abstract](#), [reference](#)

DB2TM, IMS, and TandemTM systems. ARIES is applicable not only to database management systems, recoverable file systems and transaction-based operating systems. ARIES has been implemented in Database Manager, DB2, Workstation Data Save Facility/VM, Starburst and QuickSilver, and in

**Keywords:** buffer management, latching, locking, space management, write-ahead logging

17 Garbage collection for a client-server persistent object store

Laurent Amsaleg, Michael J. Franklin, Olivier Gruber

August 1999

**ACM Transactions on Computer Systems (TOCS)**, Volume 17 Issue 3**Publisher:** ACM Press

Full text available: pdf(267.18 KB)

Additional Information: [full citation](#), [abstract](#), [reference](#)

We describe an efficient server-based algorithm for garbage collecting persistent object stores in an incremental and runs concurrently with client transactions. Unlike previous algorithms, it does not require callbacks to clients. It is fault-tolerant, but performs very little logging. The algorithm has and therefore it works with standard incremental garbage collection ...

**Keywords:** client-server system, logging, persistent object-store, recovery

**18** Types and persistence in database programming languages

Malcolm P. Atkinson, O. Peter Buneman

June 1987

**ACM Computing Surveys (CSUR)**, Volume 19 Issue 2**Publisher:** ACM Press

Full text available: pdf(7.91 MB)

Additional Information: [full citation](#), [abstract](#), [reference](#)

Traditionally, the interface between a programming language and a database has either been that the database has required some form of embedding of one language in another. Recently, the necessity of interface techniques has received some long-overdue recognition. In response, a number of attempts have been made to develop completely integrated database management systems. These languages ...

**19** Database abstractions: aggregation and generalization

John Miles Smith, Diane C. P. Smith

June 1977

**ACM Transactions on Database Systems (TODS)**, Volume 2 Issue 2**Publisher:** ACM Press

Full text available: pdf(2.02 MB)

Additional Information: [full citation](#), [abstract](#), [reference](#)

Two kinds of abstraction that are fundamentally important in database design and usage are decomposition and generalization. Decomposition is an abstraction which suggests that all objects (individual, aggregate, generic) should be given uniform treatment in the design. Generalization, is developed as a primitive for defining such models ...

**Keywords:** aggregation, data abstraction, data model, data type, database design, generalization, relational database

**20** Index structures for selective dissemination of information under the Boolean model

Tak W. Yan, Héctor García-Molina

June 1994

**ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 2**Publisher:** ACM Press

Full text available: pdf(2.03 MB)

Additional Information: [full citation](#), [abstract](#), [reference](#)

The number, size, and user population of bibliographic and full-text document databases are rapidly increasing. It becomes essential for users of such databases to have access to the very latest documents; yet, it is also essential for users to keep themselves updated. It is desirable to allow users to submit profiles, i.e., queries that are automatically informed of new additions that match their profiles ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) .

The ACM Portal is published by the Association for Computing Machinery. Contact Us

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

» Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((watermark and certificate&lt;in&gt;metadata))&lt;and&gt;(authentication&lt;in&gt;metadata))"

e-mail

Your search matched 3 of 9 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((watermark and certificate&lt;in&gt;metadata))&lt;and&gt;(authentication&lt;in&gt;metadata))

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

view selected items

[Select All](#) [Deselect All](#)

- ☐ **1. Secure Visualization of Authentication Information: A Case Study**  
Cannella, S.; Polivy, D.J.; Shin, M.; Straub, C.; Tamassia, R.;  
[Visual Languages and Human Centric Computing, 2004 IEEE Symposium on](#)  
26-29 Sept. 2004 Page(s):35 - 37  
Digital Object Identifier 10.1109/VLHCC.2004.45  
[AbstractPlus](#) | Full Text: [PDF](#)(168 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ **2. Proxy certificates-based digital fingerprinting scheme for mobile commu**  
Jae-Gwi Choi; Kouichi Sakurai; Ji-Hwan Park;  
[Security Technology, 2003. Proceedings. IEEE 37th Annual 2003 International](#)  
[Conference on](#)  
14-16 Oct. 2003 Page(s):587 - 594  
Digital Object Identifier 10.1109/CCST.2003.1297624  
[AbstractPlus](#) | Full Text: [PDF](#)(1552 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ **3. New approaches to digital evidence**  
MAURER, U.;  
[Proceedings of the IEEE](#)  
Volume 92, Issue 6, June 2004 Page(s):933 - 947  
Digital Object Identifier 10.1109/JPROC.2004.827358  
[AbstractPlus](#) | Full Text: [PDF](#)(240 KB) | Full Text: [HTML](#) IEEE JNL  
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

Indexed by  
 Inspec